20

25

We claim:

A method for effecting changes in mammalian growth, hair pigmentation hair appearance, hair and shaft comprising follicle hair size, topical. application to the skin of a mammal an effective amount of a topically active composition comprising one compounds derived from pne or more of the botanical families leguminosae, solanaceae, gramineae and cucurbitaceae.

The method of claim 1 wherein said extract contains at least one serine protease inhibitory activity.

- The method of claim 2 wherein said at least one 3. serine protease inhibitory active agent is a serine protease inhibitor.
- The method of claim 3 wherein said at least one 4. serine protease inhibitor is present in an amount, based upon the total volume of the topically active composition, of from about 0.0001% (w/v) to 20% (w/v).
- The method of claim 4 wherein the at least one serine protease inhibitor is present in an amount, based the total volume of the topically composition, of from about 0.001% (w/v) to about (w/v).

15

- 6. The method of claim 1 wherein one of said changes is a delay in hair growth, reduced hair follicle and hair shaft size and reduced hair pigmentation.
- 7. The method of claim 1 wherein said topically active composition further comprises a pharmaceutically or cosmetically acceptable vehicle.
 - 8. The method of claim 1 wherein said topically active composition further comprises one or more isoflavones.
 - 9. The method of claim 8 wherein said topically active composition further comprises a pharmaceutically or cosmetically acceptable vehicle.
 - 10. The method of claim 1 wherein said topically active composition further comprises natural extracts containing one or more isoflavones.
- 11. The method of claim 1 wherein said composition is applied topically in conjunction with one or more products whose purpose is to either facilitate the removal of hair or actually remove hair or reduce hair visibility or improve hair style or improve hair management.
 - 12. The method of claim 1 wherein said composition is applied topically before or following hair removal.

10

15

- 13. The method of claim 1 wherein said composition is applied topically during hair removal.
- 14. The method of claim 1 wherein said composition is applied topically in conjunction with one or more of the group consisting of: depilatory agents, shampoo, hair conditioner, styling gel, hair care products, waxing products, shaving products, hair-removal products, aftershave products, deodorant, anti-perspirant, electrolysis, laser hair removal, light-induced hair removal, mask, bath additives.
- 15. The method of claim 1 further comprising leaving said composition on said skin for a period sufficient to effect said changes.
- 16. The method of claim 1 wherein said period is daily treatment for at least about four weeks.
- 17. A method according to claim 16 wherein said composition is applied daily for at least eight weeks.
 - 18. A method according to claim 1 wherein said composition is applied daily to reduce or prevent pseudofolliculitis barbae.
 - 19. A method according to claim 1 wherein said composition is applied daily to the axilliary area to reduce hair growth.

JBP-510

25

10

20

- 20. A method according to claim 1 wherein said composition is applied daily to the scalp to style and improve management of African type hair.
- 21. A method according to claim 1 wherein said composition is added daily to a bath.
- 22. A method according to claim 1 wherein said composition is used daily on facial or body parts for delaying hair growth and reducing hair visibility in sufferers of hirsutism.
- 23. A composition for affecting changes in mammalian hair growth, hair pigmentation and hair shaft and follicle size, comprising topically applying to skin of a mammal an effective amount of a topically active composition comprising one or more compounds derived from one or more of the botanical families leguminosae, solanaceae, gramineae and cucurbitaceae.
- 24. The composition of claim 23 wherein the extract contains at least one serine protease inhibitory activity.
- 25. The composition of claim 24 wherein the at least one serine protease inhibitory active agent is present in an amount, based upon the total volume of the

10

15

20

topically active composition, of from about 0.0001% (w/v) to about 20% (w/v).

- 26. The composition of claim 25 wherein the at least one protease inhibitory active agent is present in an amount, based upon the total volume of the topically active composition, of from about 0.001% (w/v) to about 5% (w/v).
- 27. The composition of claim 23 wherein the composition further comprises one or more isoflavones.
- 28. The composition of claim 23 wherein the composition further comprises one or more natural extracts containing one or more isoflavones.
- 29. The composition of claim 23 wherein the composition further comprises surfactants, moisturizers, humectants, foaming agents, cosmetic adjuvants, buffering agents, preservatives, anti-oxidants, conditioners, depigmenting agents, hair removal agents, anti-aging agents, sunscreens, fragrances, colorants, or mixtures thereof.
- 30. The composition of claim 23 wherein said composition is in the form of liquid, cream, gel, paste, powder, essence, mousse, emulsion, film patch or spray.

10

15

20

25

31. The composition of claim 23 wherein said composition further comprises one or more products whose purpose is to either facilitate the removal of hair or actually remove hair or reduce hair visibility or improve hair management.

- 32. The composition of claim 23 wherein said composition further comprises one or more of the group consisting of: depilatory cream, shampoo, hair conditioner, styling gel, hair care products, waxing products, shaving products, hair removal products, after-shave products, deodorant, antiperspirant, pre- or post -electrolysis products, pre- or post-laser hair removal products, mask, bath additives.
- 33. A composition according to claim 23 wherein said compound is derived from legumes.
- 34. A composition according to claim 33 wherein said compound is derived from soy, lima and/or black beans.
- composition according to claim 34 wherein compound is selected/from the group consisting of soybean milk, limabean mil/k, blackbean milk, soybean extract, limabean extract, / blackbean extract, soybean limabean paste, blackbean paste, soybean powder, blackbean limabean / powder, soymilk powder, blackbean milk powder and limabean milk powder and mixtures thereof.

10

15

20

25

36. A composition according to claim 35 wherein said compound is a fraction of soybean milk, soybean extract, soybean paste, limabean milk, limabean extract, limabean paste, blackbean milk, blackbean extract, blackbean paste, soybean powder, blackbean powder, limabean powder, soymilk powder, blackbean milk powder and limabean milk powder and mixtures thereof.

- 37. A composition according to claim 35 comprising bean milk in an amount of from about 1 to about 99% by weight.
- 38. A composition according to claim 35 comprising soybean powder, soymilk powder or a mixture thereof in an amount of from about 1 to about 99% by weight.
- 39. A composition according to claim 36 comprising soybean trypsin inhibitor, limabean trypsin inhibitor or blackbean trypsin inhibitor in an amount of from about 0.0001 to about 20% by weight.
- 40. A composition according to claim 33 said composition further comprising one or more isoflavones.
- 41. A composition according to claim 33 said composition further comprising one or more natural extracts containing one or more isoflavones.

10

15

20

25

- 42. A composition according to claim 40 wherein said one or more isoflavones are present in said composition in amount of from about 0.00001 to about 0.1 % by weight.
- 43. A composition according to claim \$1\$ wherein said one or more natural extract containing said one or more isoflavones are present in said composition in amount of from about 0.00001 to about 0.1 % by weight.
- 44. A cosmetic composition according to claim 23, said composition further comprising a cosmetically-acceptable vehicle.
- 45. A composition according to claim 23 wherein said composition further comprises liposomes.
- 46. A composition according to claim 45 wherein said composition comprises glycerol dilaurate, cholesterol, polyoxyethylene-10-stearyl ether and polyoxyethylene-9-lauryl ether.
- 47. A composition according to claim 23 wherein said composition comprises from about 1 to about 99% bean milk, from about 0.1 to about 20% emulsifier and preservatives in an effective amount.
- 48. A composition according to claim 23 wherein said composition comprises from about 0.5 to about 20 %

10

15

20

soybean powder or soymilk powder, from about 0.1 to about 20% emulsifier and preservatives in an effective amount.

- 49. A composition according to claim 47 wherein said composition further comprises one or more isoflavones in an amount of from about 0.00001 to about 0.1%.
- 50. A composition according to claim 47 wherein said composition further comprises one or more natural extracts comprising one or more isoflavones in an amount of from about 0.0001 to about 0.1%.
- 51. A composition according to claim 23 wherein said composition further comprises one or more isoflavones in an amount of from about 0.0001 to about 0.1 %.
- 52. A composition according to claim 48 wherein said composition further comprises one or more natural extracts comprising one or more isoflavones in an amount of from about 0.0005 to about 0.05 %.